




GREENBREEZE®



EUROPE



**GB-QS**

Cross Flow Air Curtains

The **GB-QS** series combines a fashionable, exclusive full-plastic design with robust engineering to deliver a stable and significant air curtain effect. Available in series ranging from 0.9 to 1.5 meters, this air curtain is designed for convenient operation and superior energy conservation in diverse environments.



## Key Features:

- **Sleek, Full Plastic Appearance:** Adopted an exclusive open-molded design, offering a high-end and fashionable aesthetic.
- **Unique Integrated Upper Air Inlet:** Features a disassembled grille air inlet structure, making product cleaning and maintenance convenient.
- **Superior Airflow Technology** Utilizes a centrifugal air duct design to achieve high air pressure and large air volume, ensuring a stable and uniform air outlet.
- **High-Efficiency Motor** Powered by self-developed and self-produced all-copper wire motors with NSK bearings for stable, reliable performance output.
- **Integrated Control System:** Standard equipment includes both remote and manual integrated control with 3-speed options for convenient operation cross various settings.
- **Effective Filtration:** Equipped with an air inlet filter designed to capture impurities such as dust, strands of hair, and grains.
- **Optional Energy Saving Mode:** Can be equipped with an optional intelligent door magnetic switch to realize humanized control of door opening and closing, greatly reducing the outflow of indoor air to save energy.

## Technical Data

**Voltage/Frequency:** 220-240V/50Hz, 110V/60Hz, 110V/50Hz, 220V/60Hz

Model	Input Power (W)			Air Volume (m <sup>3</sup> /h)/(CFM)			Air Velocity (m/s)			Noise (dB)			Net Weight (Kg)	Gross Weight (Kg)	Unit Size (mm)	Mounting Height (mm)
	High	Medium	Low	High	Medium	Low	High	Medium	Low	High	Medium	Low				
GB-QS-CT-900-3.5	200	180	150	1080/635	996/586	870/512	15.5	14.3	12.5	≤44	≤42	≤41	13.5	15	900×230×220	3-3.5
GB-QS-CT-1200-3.5	250	225	185	1450/853	1337/786	1168/687	15.5	14.3	12.5	≤45	≤43	≤42	15.5	17.5	1200×230×220	3-3.5
GB-QS-CT-1500-3.5	325	290	240	1800/1059	1600/941	1398/822	15.5	14.3	12.5	≤48	≤46	≤44	20.5	23	1500×230×220	3-3.5
GB-QS-CT-900-4.5	350	260	200	1320/776	1100/647	860/506	19	16	12.5	≤46	≤44	≤42	14	15.5	900×230×220	3-3.5
GB-QS-CT-1200-4.5	440	320	225	1770/1041	1455/856	1150/676	19	16	12.5	≤47	≤45	≤43	16	18	1200×230×220	3-3.5
GB-QS-CT-1500-4.5	575	435	330	2200/1294	1850/1088	1450/853	19	16	12.5	≤50	≤47	≤45	21	23.5	1500×230×220	3-3.5
GB-QS-CT-900-5.5	440	325	250	1520/894	1270/747	1000/588	22	18.5	14.5	≤52	≤50	≤47	14.5	16	900×230×220	3-3.5
GB-QS-CT-1200-5.5	530	385	270	2027/1192	1670/1044	1330/782	22	18.5	14.5	≤54	≤52	≤50	16.5	18.5	1200×230×220	3-3.5
GB-QS-CT-1500-5.5	710	535	405	2543/1496	2135/1256	1680/988	22	18.5	14.5	≤55	≤53	≤51	21.5	24	1500×230×220	3-3.5

*\*One year replacement warranty for manufacturing defects. All spares available.*

GREENBREEZE retains the sole right to change product design and specifications without notice. Images presented herein may differ significantly from the delivered products. Information contained herein is for general consideration only as our products are subject to change.



**GREENBREEZE Unipessoal LDA**

Rua Da Praia Azul, Silveira

Lisbon, Portugal

Email: [info@green-breeze.eu](mailto:info@green-breeze.eu)

[www.green-breeze.eu](http://www.green-breeze.eu)



**Marketed By:**

Cannelle Holdings FZE

P.O. Box 261660, Jebel Ali Free Zone

Dubai, United Arab Emirates

[www.cannelleholdings.com](http://www.cannelleholdings.com)